

Safety Data Sheet

29 CFR 1910.1200

ection 1: Company and Product Identification

Product Name: Sanctuary Tea 5-1-1

Product Use: This is an advanced product designed to regulate soil moisture and

nitrogen while feeding soil biology.

Company: The Sanctuary

P.O. Box 656 W. Lake Ave.

Winter Park, CO 80480 PH: 970-726-4848

Emergency Response: 800-658-2481

800

ection 2: Hazards Identification

Hazard Pictograms:









Signal Word: Danger

Hazard Category: Acute tox, oral Cat 4

Acute tox, dermal Cat 5 Skin corrosion/irritation Cat 1 Acute tox, inh. Cat 1/2

Serious eye damage/eye irritation Cat 2

Specific target organ tox, single exp. Cat 3 (resp irrit)

Hazard Statements: H302: Harmful if swallowed

H313: May be harmful in contact with skin H314: Causes severe skin burns and eye damage

H330: Fatal if inhaled

H319: Causes serious eye irritation H335: May cause respiratory irritation

P202: Do not handle until all safety precautions have been read and understood P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking

Precautionary Statements: P220: Keep/Store away from clothing/combustible materials

P221: Take any precaution to avoid mixing with combustibles P260: Do not breathe dust/fume/gas/mist/vapours/spray P261: Avoid breathing dust/fume/gas/mist/vapours/spray P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product P271: Use only outdoors or in a well-ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection

P284: Wear respiratory protection

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P304+P340: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for

 ${\tt P305+P351+P338+310-If\ in\ eyes:}\ \ {\tt Rinse\ cautiously\ with\ water\ for\ several\ minutes.}\ \ {\tt Remove\ any}$ contact lenses if present and easy to do, continue rinsing with plenty of water for 15 minutes.

Immediately call a physician.

P310: Immediately call a POISON CENTER or doctor/physician

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P330: Rinse mouth

P405: Store locked up

P332+P313: If skin irritation occurs: Get medical advice/attention P337: If eye irritation persists: Get medical advice/attention P362: Take off contaminated clothing and wash before reuse

P403+P233: Store in a well ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with local/national/international rules.

Hazards not otherwise

classified: Not applicable, none known.

Hazardous substance (name)	Hazard Category	CAS#	Weight %	
----------------------------	-----------------	------	----------	--

Calcium Nitrate	Acute tox, oral 4, H302 Skin Irrit 3, H316 Eye Irrit. 2A, H319	10124-37-5	45-55%
Phosphoric Acid	Acute tox, oral 4, H302 Acute tox, dermal 5, H313 Skin Corr./Irrit. 1, H314 Acute Tox Inh. 1/2, H330	7664-38-2	2-4%
Potassium Nitrate	Ox. Liq 2, H272 Skin Irrit. 2, H315 Eye Irrit. 2A,H 319 STOT SE 3, H335	7757-79-1	2-8%
Hydrolyzed Animal Protein	Not classified for physical or health hazards according to GHS.	9015-54-7	2-4%
Molasses:	Not classified for physical or health hazards according to GHS.	68476-78-8	30-40%
Water	No phrases apply. No data available.	7732-18-5	10-15%

Section 4: First Aid Measures

If ingested: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Eye contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Protection of First-Aiders: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to Physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Section 5: Fire Fighting Measures

 $\label{lem:General Info: May be combustible at high temperature.}$

Products of Combustion: These products are nitrogen oxides metal oxide/oxides .

Extinguishing Method / Use extinguishing media suitable for the surrounding fire. Fire fighters should wear appropriate protective **Equipment:** equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special Remarks on Fire Reacts with metals to liberate flammable hydrogen gas. Formation of flammable gases with aldehydes, cyanides, Hazards: mercaptins, and sulfides.

Special Remarks on Mixtures with nitromethane are explosive. (Phosphoric Acid) **Explosion Hazards:**

Section 6: Accidental Release Measures

Personal precautions, No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep protective equipment and unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid procedures: breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental Precautions:: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Cleanup: Large Spills: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 12). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 12 for waste disposal.

> Small Spills: Stop leak if without risk. Material free from contamination can be used for its original purpose. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7: Handling and Storage

Safe Handling Precautions: Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mists. Keep away from incompatibles such as oxidizing agents, combustible materials, metals, alkalis. May corrode metallic surfaces.

Recommendations for Keep container tightly closed. Keep container in a cool, well-ventilated area. Store in original packaging as Storage: approved by manufacturer. Keep away from heat and direct sunlight. Avoid microbiological contamination.

Exposure Control / Personal Protection

General / Engineering Use only with adequate ventilation. If user operations generate fumes, gas, vapor or mist, use process enclosures,

Controls: local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below

any recommended or statutory limits.

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the

lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure eyewash facilities are located close to

the working environment.

Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is

necessary to avoid exposure to liquid splashes or mists. Recommended: splash goggles.

Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks

involved.

Respiratory Protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment

indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the

hazards of the product and the safe working limits of the selected respirator.

Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when

handling chemical products if a risk assessment indicates this is necessary. >8 hours (breakthrough time): butyl

rubber, natural rubber (latex), nitrile rubber.

Personal Protection Splash googles. Gloves.

Equipment:

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: Not avail Freezing Point: Not avail

Color: Black/ **Boiling** Unknown **pH** ~4.0

Brown Point/Range:

Water Solubility: 100% Sp Grav: Not avail Odor: Molasses

Part. Coeff (n- Not avail Evaporation rate: Not avail Flash Point: Not avail octanol/water)

Lower Flam Limits: Not avail VOC Content (lbs/gal): Not avail Viscosity: Not avail Autoignition Not avail

Temp:

ection 10: Stability and Reactivity

Stability (Normal Stable under recommended storage and handling conditions (see section 7).

Conditions:

Upper Flam Limits: Not avail

Microbiological Stability: Stable unless diluted with >5% water when yeast, mould and some harmless bacterial (e.g. Lactobacillus spp.)

growth may occur in warm temperatures. Pathogens will not grow in undiluted product due to its high osmotic pressure and low water activity.

Vapor Pressure: Not avail

Possibility of Hazardous Under normal conditions of storage and use, hazardous reactions will not occur. Reactions:

Incompatibility with Various Reactive or incompatible with the following materials: Dimethyl formamide, combustible materials, acids, oxidizing Substances: agents and alkalis.

> Corrosivity: Extremely corrosive in presence of copper, of stainless steel(304), of stainless steel(316). Highly corrosive in presence of aluminum. Minor corrosive effect on bronze. Severe corrosive effect on brass. Corrosive to ferrous metals and alloys. Non-corrosive in presence of glass.

Hazardous Decomposition Burning can produce CO2 and water, N compounds. Oxides of nitrogen and toxic metal fumes may form when products: heated to decomposition.

Polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

Potential Acute Health Ingestion: May be harmful if swallowed. Causes irritation and burns of the gastrointestinal (digestive) tract. Causes Effects: severe pain, nausea, vomiting, diarrhea hematemesis, gastrointestinal hemorrhaging, and shock. May cause corrosion and permanent tissue destruction of the esophagus and digestive tract. May affect behavior and urinary system, liver (hepatocellular damage, hepatic enzymes increased), blood (blood dyscrasia).

> Eye Contact: Corrosive. Liquid or vapor causes severe eye irritation and can cause severe eye burns leading to permanent corneal damage or chemical conjunctivitis.

> Skin Contact: Corrosive and causes severe skin irritation and can cause severe skin burns. May affect behavior (somnolence or excitement) if absorbed through skin.

Inhalation: Extremely hazardous in case of inhalation (lung corrosive).

Chronic Potential Health May cause damage to the following organs: blood, liver, skin, eyes, bone marrow. Effects:

Ingestion and Inhalation: Repeated or prolonged exposure to small amounts may affect the blood, respiration and kidneys and produce anemia, Methenoglobinemia with attendant cyanosis and anoxia, hyperpnoea and later dyspnea, and nephritis.

Ecological Information

Environmental Effects: No known significant effects or critical hazards.

Aquatic Ecotoxicity: Due to its high BOD, accidental discharge of large quantities into rivers or lakes will cause temporary algal growth ('bloom') and dissolved oxygen reduction with possible deleterious effects on fish.

Biodegradability: Most inorganic compounds are not biodegradable. The product does not show any bioaccumulation phenomena.

Toxicity of the Products of The product itself and its products of degradation are not toxic. Biodegradation:

Waste Disposal Procedures: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Consult your local or regional authorities.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Transport Information tion 14:

Shipping Name: Sanctuary Tea

ection 15: **Regulatory Information**

SDS Author: The Sanctuary Version Date: 5/28/15

US-SDS 3/29/17 4 of 5

Disclaimer: This information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. No representations, warranty or guarantee is made as to its accuracy, reliability or completeness. No warranty of fitness for any particular purpose or any other warranty, express or implied is made concerning the information herein provided.